UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/563,318	01/04/2006	Jeremy Marshall	3003-1170	1342
466 YOUNG & TH	7590 10/02/200° OMPSON	EXAMINER		
745 SOUTH 23RD STREET			ANDERSON, MICHAEL J	
2ND FLOOR ARLINGTON,	VA 22202		ART UNIT	PAPER NUMBER
,,			3767	
		•		
			MAIL DATE	DELIVERY MODE
•			10/02/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/563,318	MARSHALL ET AL.				
Office Action Summary						
• • • • • • • • • • • • • • • • • • •	Examiner	Art Unit				
The MAII ING DATE of this communication as	Michael J. Anderson	3767 correspondence address				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 12.	July 2007.					
2a)⊠ This action is FINAL . 2b)☐ Th	This action is FINAL . 2b) This action is non-final.					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 7-13 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 7-13 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examination The drawing(s) filed on 12 April 2007 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction The oath or declaration is objected to by the Examination is objected to by the Examination The specification T	a) \square accepted or b) \boxtimes objected to e drawing(s) be held in abeyance. Se ection is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892) Notice of References Cited (PTO-892)	4)					
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal I					

Art Unit: 3767

DETAILED ACTION

Drawings

The drawings are objected to under 37 CFR 1.83(a) because they fail to show a "trigger" as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3767

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 7-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Gabriel et al. (USPN 5,114,406).

In regards to claim 7, Gabriel ('406) discloses an injection device (10), needle (16), syringe (20), plunger (18), flexible o-ring (98), syringe container (12), an enlarged head (85), a plug (17), a housing (30 and 32), and an activating bias member (100) designed to move a needle from the protective housing and have a fluid path access to the syringe container to inject a medicament into a patient by the actions of moving a plunger to compress a liquid from the syringe container causing expression of the liquid through the syringe needle. Linear movement of the O-ring slip clutch is also allowed (column 8, line 64 to column 9, line 5 and claim 10).

In regards to claim 8, Gabriel ('406) discloses a pressure maintaining bias member (14), plunger head (18') and an o-ring (98).

In regards to claims 9 and 11, Gabriel ('406) discloses a return bias member (29).

In regards to claims 10, 12, and 13, Gabriel ('406) discloses one or more of the bias members provided within the housing in the form of a coil spring (29 and 95).

Art Unit: 3767

Response to Amendment

The present communication responds to the Amendment of 07/12/2007. By this communication, claim 7 was amended. Claims 7-13 are pending. The rejection(s) are as stated.

Response to Arguments

Amendments to the specification are acceptable and the objections to the specifications are **withdrawn**.

With regard to the drawings the lack of a "trigger" is still objected to.

Applicant's arguments filed 7/12/2007 have been fully considered but they are not persuasive. With regard to linear movement of the O-ring, Gabriel discloses the O-ring frictional slip clutch system (column 8, line 64 to column 9, line 5 and claim 10) and includes the use of variations on the concept. Besides, the presents of rotational friction also implies the presents of linear friction.

Conclusion

1. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Art Unit: 3767

.

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael J. Anderson whose telephone number is (571) 272-2764. The examiner can normally be reached on M-F 7:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin C. Sirmons can be reached on (571) 272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 3767

Michael J Anderson Examiner Art Unit 3767

MJA 9/26/2007

> KEVIN C. SIRMONS SUPERVISORY PATENT EXAMINER

Of language